

Material Safety Data Sheet

Aluminum nitrate

ACC# 00940

Section 1 - Chemical Product and Company Identification

MSDS Name: Aluminum nitrate**Catalog Numbers:** S70418, S71913, S93114**Synonyms:** Aluminum trinitrate; nitric acid aluminum salt**Company Identification:**

Fisher Scientific

1 Reagent Lane

Fair Lawn, NJ 07410

For information, call: 201-796-7100**Emergency Number:** 201-796-7100**For CHEMTREC assistance, call:** 800-424-9300**For International CHEMTREC assistance, call:** 703-527-3887

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
13473-90-0	Aluminum nitrate	100	236-751-8

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: colorless to white solid.

Danger! Strong oxidizer. Contact with other material may cause a fire. Causes eye, skin, and respiratory tract irritation. May be harmful if swallowed. May cause methemoglobinemia.**Target Organs:** Eyes.**Potential Health Effects****Eye:** Causes eye irritation. May cause conjunctivitis.**Skin:** Causes skin irritation.**Ingestion:** Ingestion of large amounts may cause gastrointestinal irritation. May cause methemoglobinemia, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), convulsions, and death. Methemoglobinemia is characterized by dizziness, drowsiness, headache, shortness of breath, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), rapid heart rate and chocolate-brown colored blood.**Inhalation:** May cause respiratory tract irritation. May cause methemoglobinemia, cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood), convulsions, tachycardia, dyspnea (labored breathing), and death. May cause acute pulmonary edema, asphyxia, chemical pneumonitis, and upper

airway obstruction caused by edema.

Chronic: Effects may be delayed.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water with caution and in flooding amounts. Oxidizer. Greatly increases the burning rate of combustible materials. Some oxidizers may react explosively with hydrocarbons(fuel). May accelerate burning if involved in a fire. Containers may explode when heated.

Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam. Contact professional fire-fighters immediately.

Flash Point: Not available.

Autoignition Temperature: Not available.

Explosion Limits, Lower:Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 2; Flammability: 0; Instability: 0; Special Hazard: OX

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Remove all sources of ignition. Do not use combustible materials such as paper towels to clean up spill.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Do

not get on skin or in eyes. Avoid ingestion and inhalation. Keep from contact with clothing and other combustible materials. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Storage: Keep away from heat, sparks, and flame. Do not store near combustible materials. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from flammable liquids.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Aluminum nitrate	2 mg/m ³ TWA (as Al) (listed under Aluminum, soluble salts).	2 mg/m ³ TWA (as Al) (listed under Aluminum, soluble salts).	none listed

OSHA Vacated PELs: Aluminum nitrate: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear a chemical apron. Wear appropriate protective clothing to minimize contact with skin.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Solid

Appearance: colorless to white

Odor: odorless

pH: Acidic in solution.

Vapor Pressure: Not available.

Vapor Density: Not available.

Evaporation Rate: Not available.

Viscosity: Not available.

Boiling Point: 150 deg C

Freezing/Melting Point: 73.9 deg C

Decomposition Temperature: 150 deg C

Solubility: 64 g/100ml (25°C)

Specific Gravity/Density: >1

Molecular Formula: Al(NO₃)₃

Molecular Weight: 212.9962

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials, ignition sources, dust generation, combustible materials, reducing agents.

Incompatibilities with Other Materials: Reducing agents.

Hazardous Decomposition Products: Nitrogen oxides, aluminum oxide, aluminum fumes.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#:

CAS# 13473-90-0: BD1040000

LD50/LC50:

CAS# 13473-90-0:

Draize test, rabbit, eye: 100 mg Severe;

Draize test, rabbit, skin: 500 mg Mild;

Draize test, rabbit, skin: 10%/6D (Intermittent);

Oral, mouse: LD50 = 370 mg/kg;

Oral, rat: LD50 = 204 mg/kg;

Carcinogenicity:

CAS# 13473-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: No data available.

Mutagenicity: No data available.

Neurotoxicity: No data available.

Other Studies:

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Section 14 - Transport Information

	US DOT	Canada TDG
Shipping Name:	ALUMINUM NITRATE	ALUMINUM NITRATE
Hazard Class:	5.1	5.1
UN Number:	UN1438	UN1438
Packing Group:	III	III

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 13473-90-0 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

Section 313

This material contains Aluminum nitrate (listed as Water Dissociable Nitrate Compounds), 100%, (CAS# 13473-90-0) which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 13473-90-0 can be found on the following state right to know lists: California, (listed as Aluminum, soluble salts), New Jersey, Pennsylvania, (listed as Aluminum, soluble salts), Minnesota, (listed as Aluminum, soluble salts).

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives**Hazard Symbols:**

XN O

Risk Phrases:

R 22 Harmful if swallowed.

R 36 Irritating to eyes.

R 8 Contact with combustible material may cause fire.

Safety Phrases:

S 17 Keep away from combustible material.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

WGK (Water Danger/Protection)

CAS# 13473-90-0: 1

Canada - DSL/NDSL

CAS# 13473-90-0 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of C, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 13473-90-0 is listed on the Canadian Ingredient Disclosure List.

Section 16 - Additional Information
--

MSDS Creation Date: 9/02/1997**Revision #6 Date:** 11/07/2007

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.