

# Material Safety Data Sheet

Creation Date 30-Sep-2009

Revision Date 03-Feb-2011

Revision Number 2

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** GRAM SAFRANIN GALLON

**Cat No.** R40079

**Synonyms** No information available.

**Recommended Use** Laboratory chemicals

**Company** Fisher Scientific  
Fisher Scientific  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

**Emergency Telephone Number**  
Chemtrec US: (800) 424-9300  
Chemtrec EU: 001 (202) 483-7616

## 2. HAZARDS IDENTIFICATION

### WARNING!

#### Emergency Overview

Flammable Liquid. Vapors may cause drowsiness and dizziness. May cause central nervous system effects. May cause eye, skin, and respiratory tract irritation .

**Appearance** Red**Physical State** Liquid**odor** No information available**Target Organs**

Blood, Reproductive System, Central nervous system (CNS), Eyes, Respiratory system, Liver, Skin, Optic nerve

**Potential Health Effects****Acute Effects****Principle Routes of Exposure****Eyes**

May cause irritation

**Skin**

May cause irritation

**Inhalation**

Vapor harmful.

**Ingestion**

Poison, may be fatal or cause blindness if swallowed. Cannot be made non-poisonous.

**Chronic Effects**

None known

See Section 11 for additional Toxicological information.

**Aggravated Medical Conditions**

Central nervous system disorders. Preexisting eye disorders. Liver disorders. Skin disorders.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Haz/Non-haz**

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	10
Methyl alcohol	67-56-1	< 1
Phenazinium, 3,7-diamino-2,8-dimethyl-5-phenyl-, chloride	477-73-6	< 1

#### 4. FIRST AID MEASURES

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes
<b>Inhalation</b>	Move to fresh air
<b>Ingestion</b>	Do not induce vomiting
<b>Notes to Physician</b>	Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash Point</b>	48.9°C / 120°F
<b>Method</b>	No information available.
<b>Autoignition Temperature</b>	No information available.
<b>Explosion Limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Unsuitable Extinguishing Media</b>	No information available.
<b>Hazardous Combustion Products</b>	No information available.
<b>Sensitivity to mechanical impact</b>	No information available.
<b>Sensitivity to static discharge</b>	No information available.

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**NFPA**                      **Health** 1                      **Flammability** 2                      **Instability** 0                      **Physical hazards** N/A

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Ensure adequate ventilation
<b>Environmental Precautions</b>	Should not be released into the environment
<b>Methods for Containment and Clean Up</b>	No information available

## 7. HANDLING AND STORAGE

<b>Handling</b>	Ensure adequate ventilation
<b>Storage</b>	Keep containers tightly closed in a dry, cool and well-ventilated place

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Measures**                      Ensure adequate ventilation, especially in confined areas

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	TWA: 1000 ppm	(Vacated) TWA: 1900 mg/m <sup>3</sup> (Vacated) TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> TWA: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m <sup>3</sup> (Vacated) STEL: 325 mg/m <sup>3</sup> (Vacated) STEL: 250 ppm Skin TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethyl alcohol	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 328 mg/m <sup>3</sup> STEL: 250 ppm Skin	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 310 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 325 mg/m <sup>3</sup> STEL: 250 ppm Skin

**NIOSH IDLH:** *Immediately Dangerous to Life or Health*

### Personal Protective Equipment

#### Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

#### Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid
<b>Appearance</b>	Red
<b>odor</b>	No information available
<b>Odor Threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Vapor Pressure</b>	No information available.
<b>Vapor Density</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Boiling Point/Range</b>	No information available.
<b>Melting Point/Range</b>	No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Decomposition temperature</b>	No information available.
<b>Flash Point</b>	48.9°C / 120°F
<b>Evaporation Rate</b>	No information available.
<b>Specific Gravity</b>	No information available.
<b>Solubility</b>	No information available.
<b>log Pow</b>	No data available

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Incompatible products
<b>Incompatible Materials</b>	Strong oxidizing agents
<b>Hazardous Decomposition Products</b>	None under normal use
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur
<b>Hazardous Reactions .</b>	None under normal processing.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	7060 mg/kg ( Rat )	Not listed	20000 ppm/10H ( Rat )
Methyl alcohol	5628 mg/kg ( Rat )	15800 mg/kg ( Rabbit )	64000 ppm ( Rat ) 4 h 83.2 mg/L ( Rat ) 4 h

<b>Irritation</b>	No information available.
<b>Toxicologically Synergistic Products</b>	No information available.

### Chronic Toxicity

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

**IARC: (International Agency for Research on Cancer)**

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

<b>Sensitization</b>	No information available.
<b>Mutagenic Effects</b>	No information available.

<b>Reproductive Effects</b>	No information available.
<b>Developmental Effects</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>Other Adverse Effects</b>	The toxicological properties have not been fully investigated.
<b>Endocrine Disruptor Information</b>	No information available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	Not listed	Leucidus idus: LC50 = 8.14 mg/L/48h	Photobacterium phosphoreum: EC50 = 34634 mg/L/30 min Photobacterium phosphoreum: EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	EC50 > 10000 mg/L 24h

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available

### Mobility

Component	log Pow
Ethyl alcohol	0
Methyl alcohol	-0.74

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

## 14. TRANSPORT INFORMATION

**DOT** Not regulated  
**Proper Shipping Name** AQUEOUS ALCOHOL SOLUTION: NOT REGULATED BY CONFORMING TO 49CFR 173.150(E)

**14. TRANSPORT INFORMATION**

**TDG**

**UN-No** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III

**IATA**

**UN-No** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III

**IMDG/IMO**

Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Ethyl alcohol	X	X	-	200-578-6	-		X	X	X	X	KE-13217 X
Methyl alcohol	X	X	-	200-659-6	-		X	X	X	X	KE-23193 X
Phenazinium, 3,7-diamino-2,8-dimethyl-5-phenyl-, chloride	X	X	-	207-518-8	-		X	X	X	X	KE-09729 X

**Legend:**

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

**U.S. Federal Regulations**

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	< 1	1.0

**SARA 311/312 Hazardous Categorization**

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

Not applicable

**Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		-

**OSHA**

Not applicable

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Ethyl alcohol	64-17-5	Developmental	-

**State Right-to-Know**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	X	X	X	-	X
Methyl alcohol	X	X	X	X	X

**U.S. Department of Transportation**

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

**U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** Moderate risk, Grade 2

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

B3 Combustible liquid

D2A Very toxic materials

**16. OTHER INFORMATION**

<b>Prepared By</b>	Regulatory Affairs Remel Tel: 1-800-255-6730
<b>Creation Date</b>	30-Sep-2009
<b>Print Date</b>	03-Feb-2011
<b>Revision Summary</b>	No information available.

**Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**