

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : **Tamer Tabs**
Product Number : Z265896
Brand : Aldrich
Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +1 800-325-5832
Fax : +1 800-325-5052
Emergency Phone # : (314) 776-6555

2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : Al₂O₃
Molecular Weight : 101.96 g/mol

CAS-No.	EC-No.	Index-No.	Concentration [%]
Aluminium oxide			
1344-28-1	215-691-6	-	-

3. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Delayed target organ effects

Target Organs

Lungs, Bone

HMIS Classification

Health Hazard: 0

Chronic Health Hazard: *

Flammability: 0

Physical hazards: 0

NFPA Rating

Health Hazard: 0

Fire : 0

Reactivity Hazard: 0

Potential Health Effects

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Skin

May be harmful if absorbed through skin. May cause skin irritation.

Eyes

May cause eye irritation.

Ingestion

May be harmful if swallowed.

4. FIRST AID MEASURES**If inhaled**

If breathed in, move person into fresh air. If not breathing give artificial respiration

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

5. FIRE-FIGHTING MEASURES**Flammable properties**

Flash point no data available

Ignition temperature no data available

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

The product itself does not burn. Do not use halocarbon extinguishers.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Avoid dust formation.

Environmental precautions

No special environmental precautions required.

Methods for cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE**Handling**

Provide appropriate exhaust ventilation at places where dust is formed.

Storage

Keep container tightly closed in a dry and well-ventilated place.

Light sensitive.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Update	Basis
Aluminium oxide	1344-28-1	TWA	10 mg/m ³	1996-05-18	US. American Conference of Governmental and Industrial Hygienists Threshold Limit Values for Chemical Substances in the Work Environment; Annual

Reports for the Year
2004: Committees on
Threshold Limit Values
(TLVs) and Biological
Exposure Indices (BEIs)

Remarks	The value is for total dust containing no asbestos and < 1% crystalline silica. 1996 Adoption Refers to Appendix A -- Carcinogens.				
		TWA	5 mg/m ³	1989-03-01	US. Department of Labor - Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1000 Z-1-A
		TWA	5 mg/m ³	1989-03-01	US. Department of Labor - Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1000 Z-1-A
		TWA	15 mg/m ³	1993-06-30	US. Department of Labor - Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PEL) 29 CFR 1910.1000 Air Contaminants.
		TWA	5 mg/m ³	1993-06-30	US. Department of Labor - Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PEL) 29 CFR 1910.1000 Air Contaminants.

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Safety glasses

Hygiene measures

General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	solid
Colour	no data available

Safety data

pH	9.4 - 10.1 at 20 °C (68 °F)
Melting point	2,038 °C (3,700 °F)
Boiling point	2,980 °C (5,396 °F)
Flash point	no data available
Ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	1 hPa (1 mmHg) at 2,158 °C (3,916 °F)
Density	4.000 g/cm ³
Water solubility	insoluble

10. STABILITY AND REACTIVITY**Storage stability**

Stable under recommended storage conditions.

Conditions to avoid

Exposure to moisture.

Materials to avoid

Strong acids, Strong bases, Chlorine trifluoride, Ethylene oxide, Halogenated hydrocarbon, Oxygen difluoride, Sodium nitrate, Vinyl compounds

Hazardous decomposition products**Hazardous decomposition products formed under fire conditions.**

Aluminum oxide

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

no data available

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Signs and Symptoms of Exposure

Cough, chest pain, Difficulty in breathing, Gastrointestinal disturbance

Potential Health Effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.
Ingestion	May be harmful if swallowed.
Target Organs	Lungs, Bone,

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

no data available

Ecotoxicity effects

no data available

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

OSHA Hazards

Delayed target organ effects

TSCA Status

On TSCA Inventory

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

Aluminium oxide

CAS-No.
1344-28-1

Revision Date
1987-01-01

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

Aluminium oxide

CAS-No.
1344-28-1

Revision Date
1987-01-01

Pennsylvania Right To Know Components

Aluminium oxide

CAS-No.
1344-28-1

Revision Date
1987-01-01

New Jersey Right To Know Components

Aluminium oxide

CAS-No.
1344-28-1

Revision Date
1987-01-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Further information

Copyright 2007 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only., The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.